


# SD-120KG Pro



Fully Automatic



|                          |                                                                                                                                                                                                                                                                                    |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Drum material:           | Cast Iron                                                                                                                                                                                                                                                                          |
| Batch capacity:          | 100-200KG/batch                                                                                                                                                                                                                                                                    |
| Roasting Output:         | 200~240 kg/hour                                                                                                                                                                                                                                                                    |
| Roasting Time:           | 18-25 minutes/batch                                                                                                                                                                                                                                                                |
| Heating Type:            | Liquefied petroleum gas (propane)/natural gas                                                                                                                                                                                                                                      |
| Temperature Range:       | 0-400°C adjustable                                                                                                                                                                                                                                                                 |
| Cooling Time:            | 3-5 minutes                                                                                                                                                                                                                                                                        |
| Natural gas consumption: | 28m³/hour                                                                                                                                                                                                                                                                          |
| LPG consumption:         | 13m³/hour                                                                                                                                                                                                                                                                          |
| Body Color:              | Red/Black/White/Blue/Green/Customize                                                                                                                                                                                                                                               |
| Package:                 | Film plastic&wooden case                                                                                                                                                                                                                                                           |
| Accessories:             | Maintenance tool kit*1, Allen wrench set*1, cleaning brush head*1, data logger USB cable*1, gas pipe grommet*4 pieces, aluminum foil exhaust pipe*1, pipe clamps*2, circuit fuse*2, gas appliance nozzle (gas type)*1, pressure gauge*1, copper pipe sleeve set*1, user's manual*1 |

# SD-240/360KG Pro

Fully Auto,Can be professionally customized according to production line requirements



# YS Series

Yoshan engineers learned the roasting machine from Germany, referred to the advantages and disadvantages of Giesen, and upgraded to a more professional cast iron coffee roaster that roasting masters like. If you are looking for a professional medium model with the perfect combination of functions, capacity and size, the YS-6kg/12kg/15kg is the perfect one for you.

- Update from Giesen style
- World famous dual thermocouple detectors from Germany, which can accurately detect the temperature of coffee beans and hot air.

The dust collection bucket is separated from the coffee roaster,

- allowing the internal heat to flow out of the machine, which is very convenient to clean.

Four powerful independent, motors allowing simultaneous roasting

- and cooling, and offering an accurate speed control system.

Qualified control station: touch-screen control station extend the service life

- Electroplated 304 steel shell: anti-corruption and anti-humidity.
- Cast iron Body Made: Iron-made machine body keeps the heat in the machine loners
- 



## YS 20/30/60/120/240/360 KG

Semi Automatic

- Siemens system
- Professionally customize your industrial production line
- Energy saving and high efficiency



Please contact  
YOSHAN sales team for details

