


SD-15KG Pro


Fully Automatic



Drum material:	Cast Iron
Batch capacity:	13KG-18KG/batch
Roasting Output:	39~54 kg/hour
Roasting Time:	10-15 minutes/batch
Heating Type:	Liquefied petroleum gas (propane)/natural gas
Temperature Range:	0-400°C adjustable
Cooling Time:	3-5 minutes
Natural gas consumption:	4m³/hour
LPG consumption:	1.5 KG/hour
Body Color:	Red/Black/White/Blue/Green/Customize
Package:	Film plastic&wooden case
Accessories:	Maintenance tool kit*1, Allen wrench set*1, cleaning brush head*1, data logger USB cable*1, gas pipe grommet*4 pieces, aluminum foil exhaust pipe*1, pipe clamps*2, circuit fuse*2, gas appliance nozzle (gas type)*1, pressure gauge*1, copper pipe sleeve set*1, user's manual*1

SD-20KG Pro


Fully Automatic



Drum material:	Cast Iron
Batch Capacity:	15-22KG
Roasting Output:	60-80kg/hour
Roasting Time:	15-20 minute/batch
Heating Type:	Liquefied petroleum gas (propane)/natural gas
Temperature Range:	0-400°C adjustable
Natural gas consumption:	4.5 m³ /hour
LPG consumption:	4.5 m³ /hour
Accessories:	Maintenance tool kit*1, Allen wrench set*1, cleaning brush head*1, data logger USB cable*1, gas pipe grommet*4 pieces, aluminum foil exhaust pipe*1, pipe clamps*2, circuit fuse*2, gas appliance nozzle (gas type)*1, pressure gauge*1, copper pipe sleeve set*1, user's manual*1

SD-30KG Pro


Fully Automatic



Drum material:	Cast Iron
Batch capacity:	25KG-38KG/batch
Roasting Output:	90~120 kg/hour
Roasting Time:	15-22 minutes/batch
Heating Type:	Liquefied petroleum gas (propane)/natural gas
Temperature Range:	0-400°C adjustable
Cooling Time:	3-5 minutes
Natural gas consumption:	6.5 KG/hour
LPG consumption:	4.2 KG/hour
Body Color:	Red/Black/White/Blue/Green/Customize
Package:	Film plastic&wooden case
Accessories:	Maintenance tool kit*1, Allen wrench set*1, cleaning brush head*1, data logger USB cable*1, gas pipe grommet*4 pieces, aluminum foil exhaust pipe*1, pipe clamps*2, circuit fuse*2, gas appliance nozzle (gas type)*1, pressure gauge*1, copper pipe sleeve set*1, user's manual*1

SD-60KG Pro


Fully Automatic



Drum material:	Cast Iron
Batch capacity:	60KG/batch
Roasting Output:	150~180 kg/hour
Roasting Time:	15-22 minutes/batch
Heating Type:	Liquefied petroleum gas (propane)/natural gas
Temperature Range:	0-400°C adjustable
Cooling Time:	3-5 minutes
Natural gas consumption:	11.7 KG/hour
LPG consumption:	7.6 KG/hour
Body Color:	Red/Black/White/Blue/Green/Customize
Package:	Film plastic&wooden case
Accessories:	Maintenance tool kit*1, Allen wrench set*1, cleaning brush head*1, data logger USB cable*1, gas pipe grommet*4 pieces, aluminum foil exhaust pipe*1, pipe clamps*2, circuit fuse*2, gas appliance nozzle (gas type)*1, pressure gauge*1, copper pipe sleeve set*1, user's manual*1

SD-120KG Pro



Fully Automatic



Drum material:	Cast Iron
Batch capacity:	100-200KG/batch
Roasting Output:	200~240 kg/hour
Roasting Time:	18-25 minutes/batch
Heating Type:	Liquefied petroleum gas (propane)/natural gas
Temperature Range:	0-400°C adjustable
Cooling Time:	3-5 minutes
Natural gas consumption:	28m³/hour
LPG consumption:	13m³/hour
Body Color:	Red/Black/White/Blue/Green/Customize
Package:	Film plastic&wooden case
Accessories:	Maintenance tool kit*1, Allen wrench set*1, cleaning brush head*1, data logger USB cable*1, gas pipe grommet*4 pieces, aluminum foil exhaust pipe*1, pipe clamps*2, circuit fuse*2, gas appliance nozzle (gas type)*1, pressure gauge*1, copper pipe sleeve set*1, user's manual*1

SD-240/360KG Pro

Fully Auto,Can be professionally customized according to production line requirements



YS 20/30/60/120/240/360 KG

Semi Automatic

- Siemens system
- Professionally customize your industrial production line
- Energy saving and high efficiency



Please contact
YOSHAN sales team for details

